Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S27	8	("20020087810" "2003079094" "6460 124").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 17:27
S28	6849	(711/137,117,5,119,122,141,142,143, 144,163).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/01 17:27
S29	39818	(chip or die or processor) with (cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 17:27
S30	3129	S29 and (TLB or (translat\$3 adj2 (lookaside or (look adj aside)) adj2 (buffer or cache)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 17:27
S31	1951	S30 and (main adj memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 17:27
S32	168	S31 and commit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 17:27
S33	24	S32 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 17:27
S34	60	S31 and commit and lock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 17:28

S35	8107	("L1" or "L2" or ((first or second) adj level)) with (cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 17:28
S36		S35 same (lock\$3 and commit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 17:28
S37	556	S35 same ((single or "same" or one) near (chip or die or semiconductor or core))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 17:29
S38	146	S37 and ((translation adj ((look adj aside) or lookaside) adj buffer) or TLB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 17:29
S39	53	S38 and (lock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 17:29

ON	2006/10/01 17:29
1	
	,
	,
ļ	
ON	2006/10/01 17:35
:	
OFF	2006/10/01 17:35
OFF	2006/10/01 17:35
ON	2006/10/01 17:53
	,,
_	OFF

S45	1	S44 and ((translation adj2 lookaside) or TLB)	US-PGPUB; USPAT;	OR	ON	2006/10/01 17:55
			USOCR;			
			EPO; JPO; DERWENT;		,	
			IBM_TDB			